AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

- 1. (Cancelled)
- 2. (Currently Amended) The method of claim 6 4, wherein the <u>collection</u>
 of genetically modified cell strains <u>further comprises</u> are deletion mutants having one or
 more genes deleted from the genome of the parent strain.
- 3. (Original) The method of claim 2, wherein the deletion mutants each lack a single gene present in the parent strain.
- 4. (Original) The method of claim 3, wherein the collection of genetically modified cell strains contains a deletion mutant for each non-essential gene in the parent strain.
- 5. (Original) The method of claim 4, wherein the collection of genetically modified cell strains includes the deletion mutants provided by the *Saccharomyces* cerevisiae Deletion Consortium.
- 6. (Currently Amended) <u>A method of analyzing a collection of</u>

 genetically modified cell strains that are congenic with a parent strain The method of

slaim-5, wherein the collection of genetically modified cell strains further comprises mutant strains having modified, but not deleted, essential genes of *Saccharomyces* cerevisiae, the method comprising:

receiving images of phenotypes for each of the genetically modified cell strains;
analyzing the images with one or more algorithms that provide quantitative
representations of the phenotypes; and

representation of a phenotype of a cell that is genetically similar or identical to one or more of the cell strains, and wherein the cell that is genetically similar or identical has been treated with a drug or a drug candidate.

- 7. (Canceled)
- 8. (Cancelled)
- 9. (Currently Amended)

 <u>A method of analyzing a collection of</u>

 <u>genetically modified cell strains that are congenic with a parent strain, the method comprising:</u>

marking one or more cell features of the genetically modified cell strains so that said features can be highlighted in the images of the phenotypes:

imaging the genetically modified cell strains to produce the images of the phenotypes, wherein the cell features are highlighted in the images of the phenotypes;

receiving images of phenotypes for each of the genetically modified cell strains;

analyzing the images with one or more algorithms that provide quantitative representations of the phenotypes; and

comparing the quantitative representations of the phenotypes with (i) each other,

(ii) a quantitative representation of a phenotype of the parent strain, or (iii) a quantitative representation of a phenotype of a cell that is genetically similar or identical to one or more of the cell strains.

wherein the genetically modified cell strains are yeast strains and wherein

marking one or more cell features comprises staining the yeast strains with a first stain

for the cell wall, a second stain for the genetic material, and a third stain for the

cytoskeleton and

The method of claim 7, wherein the first stain is concanavalin A, the second stain is DAPI, and the third stain is rhodamine phalloidin.

10. (Currently Amended) The method of claim <u>6</u> 4, wherein analyzing the images comprises:

receiving the intensity versus position data from one or markers on the genetically modified cell strains;

quantifying geometrical information about said markers; and quantifying biological information about said genetically modified cell strains.

11. (Original) The method of claim 10, wherein the quantitative representations of the phenotypes include one or both of the geometrical information and the biological information.

- 12. (Currently Amended) The method of claim <u>6</u> +, wherein comparing the quantitative representations of the phenotypes comprises comparing the quantitative representations of the phenotypes with each other to cluster the phenotypes and identify common functional traits shared between multiple genetic modifications.
 - 13. (Cancelled)
- 14. (Currently Amended) The method of claim <u>6</u> +, further comprising generating a database including records identifying the phenotypes and the quantitative representations of the phenotypes.
- 15. (Original) The method of claim 14, further comprising linking the database with another database containing non-morphological information about the collection of genetically modified cell strains or similar, unmodified parent strains.
 - 16. (Canceled)
- 17. (Currently Amended) The computer program product of claim <u>21</u> 46, wherein the <u>collection of genetically modified cell strains further comprises are deletion mutants having one or more genes deleted from the genome of the parent strain.</u>

- 18. (Original) The computer program product of claim 17, wherein the deletion mutants each lack a single gene present in the parent strain.
- 19. (Original) The computer program product of claim 18, wherein the collection of genetically modified cell strains contains a deletion mutant for each non-essential gene in the parent strain.
- 20. (Original) The computer program product of claim 19, wherein the collection of genetically modified cell strains includes the deletion mutants provided by the Saccharomyces cerevisiae Deletion Consortium.
- 21. (Currently Amended)

 A computer program product comprising a machine readable medium on which is provided program instructions for analyzing a collection of genetically modified cell strains that are congenic with a parent strain The computer program product of claim 20, wherein the collection of genetically modified cell strains further comprises mutant strains having modified, but not deleted, essential genes of Saccharomyces cerevisiae, the instructions comprising:

code for receiving images of phenotypes for each of the genetically modified cell strains;

code for analyzing the images with one or more algorithms that provide quantitative representations of the phenotypes; and

code for comparing the quantitative representations of the phenotypes with a quantitative representation of a phenotype of a cell that is genetically similar or identical

to one or more of the cell strains, and wherein the cell that is genetically similar or identical has been treated with a drug or a drug candidate.

22. (Currently Amended) The computer program product of claim <u>21</u> <u>46</u>, further comprising:

code for imaging the genetically modified cell strains to produce the images of the phenotypes, wherein one or more cell features are highlighted by marking in the images of the phenotypes.

- 23. (Original) The computer program product of claim 22, wherein the genetically modified cell strains are yeast strains and wherein marking one or more cell features was accomplished by staining the yeast strains with a first stain for the cell wall, a second stain for the genetic material, and a third stain for the cytoskeleton.
- 24. (Original) The computer program product of claim 23, wherein the first stain is concanavalin A, the second stain is DAPI, and the third stain is rhodamine phalloidin.
- 25. (Currently Amended) The computer program product of claim <u>21</u> 46, wherein the code for analyzing the images comprises:

code for receiving the intensity versus position data from one or markers on the genetically modified cell strains;

code for quantifying geometrical information about said markers; and

code for quantifying biological information about said genetically modified cell strains.

- 26. (Original) The computer program product of claim 25, wherein the quantitative representations of the phenotypes include one or both of the geometrical information and the biological information.
- The computer program product of claim <u>21</u>46, wherein the code for comparing the quantitative representations of the phenotypes comprises code for comparing the quantitative representations of the phenotypes with each other to cluster the phenotypes and identify common functional traits shared between multiple genetic modifications.
 - 28. (Cancelled)
- 29. (Currently Amended) The computer program product of claim <u>21</u>, <u>46</u>, further code for comprising generating a database including records identifying the phenotypes and the quantitative representations of the phenotypes.
- 30. (Original) The computer program product of claim 29, further comprising code for linking the database with another database containing non-morphological information about the collection of genetically modified cell strains or similar, unmodified parent strains.

- 31. (Canceled)
- 32. (Currently Amended) The method of claim 9 7, wherein the collection of genetically modified cell strains further comprises are deletion mutants having one or more genes deleted from the genome of the parent strain.
- 33. (Previously Presented) The method of claim 32, wherein the deletion mutants each lack a single gene present in the parent strain.
- 34. (Previously Presented) The method of claim 33, wherein the collection of genetically modified cell strains contains a deletion mutant for each non-essential gene in the parent strain.
- 35. (Previously Presented) The method of claim 34, wherein the collection of genetically modified cell strains includes the deletion mutants provided by the Saccharomyces cerevisiae Deletion Consortium.
- 36. (Currently Amended)

 A computing device comprising a memory

 device configured to store at least temporarily program instructions for analyzing a

 collection of genetically modified cell strains that are congenic with a parent strain Themethod of claim 35, wherein the collection of genetically modified cell strains further

comprises mutant strains having modified, but not deleted, essential genes of Saccharomyces cerevisiae, the instructions comprising:

code for receiving images of phenotypes for each of the genetically modified cell strains;

code for analyzing the images with one or more algorithms that provide quantitative representations of the phenotypes; and

code for comparing the quantitative representations of the phenotypes with a quantitative representation of a phenotype of a cell that is genetically similar or identical to one or more of the cell strains, and wherein the cell that is genetically similar or identical has been treated with a drug or a drug candidate.

37. (Currently Amended) The method of claim <u>9</u>7, wherein analyzing the images comprises:

receiving the intensity versus position data from one or markers on the genetically modified cell strains;

quantifying geometrical information about said markers; and quantifying biological information about said genetically modified cell strains.

38. (Previously Presented) The method of claim 37, wherein the quantitative representations of the phenotypes include one or both of the geometrical information and the biological information.

- 39. (Currently Amended) The method of claim 9 7, wherein comparing the quantitative representations of the phenotypes comprises comparing the quantitative representations of the phenotypes with each other to cluster the phenotypes and identify common functional traits shared between multiple genetic modifications.
- 40. (Currently Amended) The method of claim 9 7, further comprising generating a database including records identifying the phenotypes and the quantitative representations of the phenotypes.
- 41. (Previously Presented) The method of claim 40, further comprising linking the database with another database containing non-morphological information about the collection of genetically modified cell strains or similar, unmodified parent strains.
 - 42. (Cancelled)
- 43. (Currently Amended) The computer program product of claim 47 42, wherein the collection of genetically modified cell strains <u>further comprises</u> are deletion mutants having one or more genes deleted from the genome of the parent strain.
- 44. (Previously Presented) The computer program product of claim 43, wherein the deletion mutants each lack a single gene present in the parent strain.

- 45. (Previously Presented) The computer program product of claim 44, wherein the collection of genetically modified cell strains contains a deletion mutant for each non-essential gene in the parent strain.
- 46. (Previously Presented) The computer program product of claim 45, wherein the collection of genetically modified cell strains includes the deletion mutants provided by the *Saccharomyces cerevisiae* Deletion Consortium.
- A computer program product comprising a machine readable medium on which is provided program instructions for analyzing a collection of genetically modified cell strains that are congenic with a parent strain. The computer program product of claim 46, wherein the collection of genetically modified cell strains further comprises mutant strains having modified, but not deleted, essential genes of Saccharomyces cerevisiae; wherein one or more cell features of the genetically modified cell strains have been marked so that said features can be highlighted in the images of the phenotype; and wherein said one or more cell features comprises staining the yeast strains with a first stain for the cell wall, a second stain for the genetic material, and a third stain for the cytoskeleton, the instructions comprising:

code for receiving images of phenotypes for each of the genetically modified cell strains wherein the cell features are highlighted in said images of the phenotypes;

code for analyzing the images with one or more algorithms that provide quantitative representations of the phenotypes; and

Application No.: 09/888,063

Attorney Docket No.: 09367.0020-00000

code for comparing the quantitative representations of the phenotypes with (i)
each other, (ii) a quantitative representation of the parent strain, or (iii) a quantitative
representation of a phenotype of a cell that is genetically similar or identical to one or
more of the cell strains.

48. (Currently Amended)

A computer program product comprising a

machine readable medium on which is provided program instructions for analyzing a

collection of genetically modified cell strains that are congenic with a parent strain

wherein one or more cell features of the genetically modified cell strains have been marked so that said features can be highlighted in the images of the phenotype; and wherein said one or more cell features comprises staining the yeast strains with a first stain for the cell wall, a second stain for the genetic material, and a third stain for the cytoskeleton, the instructions comprising:

code for receiving images of phenotypes for each of the genetically modified cell strains wherein the cell features are highlighted in said images of the phenotypes;

code for analyzing the images with one or more algorithms that provide

quantitative representations of the phenotypes; and

code for comparing the quantitative representations of the phenotypes with (i) each

other, (ii) a quantitative representation of the parent strain, or (iii) a quantitative

representation of a phenotype of a cell that is genetically similar or identical to one or

more of the cell strains

The computer program product of claim 42, wherein the first stain is concanavalin A, the second stain is DAPI, and the third stain is rhodamine phalloidin.

49. (Currently Amended) The computer program product of claim <u>48</u> 42, wherein the code for analyzing the images comprises:

code for receiving the intensity versus position data from one or markers on the genetically modified cell strains;

code for quantifying geometrical information about said markers; and code for quantifying biological information about said genetically modified cell strains.

- 50. (Previously Presented) The computer program product of claim 49, wherein the quantitative representations of the phenotypes include one or both of the geometrical information and the biological information.
- 51. (Currently Amended) The computer program product of claim 48 42, wherein the code for comparing the quantitative representations of the phenotypes comprises code for comparing the quantitative representations of the phenotypes with each other to cluster the phenotypes and identify common functional traits shared between multiple genetic modifications.
- 52. (Currently Amended) The computer program product of claim <u>48</u> 42, further code for comprising generating a database including records identifying the phenotypes and the quantitative representations of the phenotypes.

- 53. (Previously Presented) The computer program product of claim 52, further comprising code for linking the database with another database containing non-morphological information about the collection of genetically modified cell strains or similar, unmodified parent strains.
- 54. (Currently Amended)

 The method of claim 6 1, further comprising:

 marking one or more cell features of the genetically modified cell strains so that

 said features can be highlighted in the images of the phenotypes; and

 imaging the genetically modified cell strains to produce the images of the

 phenotypes, wherein the cell features are highlighted in the images of the phenotypes.
- 55. (Currently Amended) The method of claim <u>6</u> 4, wherein the genetically modified cell strains are yeast strains and wherein marking one or more cell features comprises staining the yeast strains with a first stain for the cell wall, a second stain for the genetic material, and a third stain for the cytoskeleton.
- 56. (Previously Presented) The method of claim 55, wherein the first stain is concanavalin A, the second stain is DAPI, and the third stain is rhodamine phalloidin.